

# TT-TVStick®



## USB 2.0 TV-Stick for digital terrestrial TV reception

### Technical Specification DVB-T receiver for PC



### BASICS

- Free-TV terrestrial receiver
- USB-Stick for use with Personal Computer or notebook
- Video and Audio decoding via software decoder
- Installation Plug and Play
- Active aerial support
- Fully compliant to: DVB-T standard EN 300 744
- MPEG2 Transport Stream support: ISO/IEC 13818-1
- DVB-Video/-Audio support: ISO/IEC 13818-2,-3
- DVB-Data support: EN 301 192

### RF SPECIFICATION

- Input frequency (MHz) : 47 - 862 VHF & UHF
- Input connector: IEC60169-2 female
- Input termination: 75  $\Omega$
- Demodulation: QPSK and 16/64 QAM demodulation support (EN 300 744)
- Channel bandwidth : 7/8 MHz
- 2K mode and 8K mode COFDM demodulator
- Guard Interval Modes: 1/32, 1/16, 1/8, 1/4 active symbol duration
- Automatic FEC selection (1/2, 2/3, 3/4, 5/6, 7/8)

### GENERAL DATA

- Cabinet (WxHxD, cm) / Weight : approx. 85 x 25 x 20 approx. 0,1 kg

### INPUT / OUTPUT SPECIFICATION

- Antenna input: IEC female
- USB-connector

## USB 2.0 TV-Stick for digital terrestrial TV reception

### Technical Specification DVB-T receiver for PC



### SOFTWARE VIDEO DECODER

- MPEG profiles : MPEG-2 Video
- Picture Formats : Auto WSS 4:3, 16:9, 2.21:1 (Pal only)

### SOFTWARE AUDIO DECODER

- Profiles : MPEG 2 layer I & II

### TT-MEDIA CENTER SOFTWARE

- Recording and Playback of TV/Radio programs
- Teletext decoding
- Time shift support
- BDA driver (BroadcastDriverArchitecture) supports many 3rd party applications
- Timer / sleep timer
- Favourite mode
- EPG (SI based)
- Short EPG (now/next)
- languages : D, GB
- Automatic/manual channel search
- API : For third-party software developers an open API (application programming interface) is available

### MINIMUM SYSTEM REQUIREMENTS\*

- Windows XP, Windows Vista
- CPU: at least 800 MHz
- 256MB RAM
- Hard disk with at least 256MB free storage space
- Graphics card with at least 32 MByte memory and DirectX 9 support or higher
- Sound card with DirectX support
- USB 2.0 Port
- CD ROM drive
- Antenna for digital terrestrial reception

\* for Windows XP; for Windows Vista greater PC performance is recommended

### ACCESSORIES

- Quick-Start Guide
- USB-extension
- antenna
- CD-Rom inclusive driver and application software

### STANDARDS AND REGULATIONS

- DVB-T standard EN 300 744
- MPEG2 Transport Stream support to ISO/IEC 13818-1
- DVB-Video/-Audio support to ISO/IEC 13818-2,-3
- Safety and EMC regulations: EN 60950, EN 60065, EN 55013 and EN 55020, EN 55022 and EN 55024